



# UNITED STATES PATENT AND TRADEMARK OFFICE

*Ch*

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO.   | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|-------------|----------------------|---------------------|------------------|
| 09/889,473  | 07/17/2001  | Ryuichi Murai        | NAKI-BP44           | 4113             |
| 21611   | 7590        | 07/21/2005           | EXAMINER            |                  |
| SNELL & WILMER LLP<br>1920 MAIN STREET<br>SUITE 1200<br>IRVINE, CA 92614-7230 |             |                      | QUARTERMAN, KEVIN J |                  |
|   |             |                      | ART UNIT            | PAPER NUMBER     |
|   |             |                      | 2879                |                  |

DATE MAILED: 07/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/889,473

Applicant(s)

MURAI ET AL.

Examiner

Kevin Quarterman

Art Unit

2879

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 02 May 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-33, 38-48 and 50-53 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 21-33 and 44-48 is/are allowed.
- 6) ☒ Claim(s) 1-7, 38, 42 and 50-53 is/are rejected.
- 7) ☒ Claim(s) 8-20, 39-41 and 43 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 17 July 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
- 1) ☐ Certified copies of the priority documents have been received.
  - 2) ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - 3) ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### *Response to Amendment*

1. Applicant's amendment and remarks received 02 May 2005 have been entered and overcome the new matter rejections cited in the previous office action.

### *Claim Rejections - 35 USC § 102*

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1-3, 6-7, 38, and 50-53 are rejected under 35 U.S.C. 102(e) as being anticipated by Kurogi (US 6,495,957).
4. Regarding independent claim 1, Figures 1-12 of Kurogi show a gas discharge panel (1) having a plurality of cells (C) arranged in a matrix, each cell being filled with a discharge gas (col. 5, ln. 43) which is enclosed between a facing pair of substrates (10, 20) and a plurality of barrier ribs (29) interposed between the pair of substrates, and plural pairs of display electrodes (X, Y) arranged on an inner surface of one of the substrates so as to extend in a row direction of the matrix across the cells, wherein image display is generated by a discharge fired between the plural pairs of display electrodes, each pair of display electrodes comprising two bus lines (42) being parallel to each other and extending in the row direction of the matrix; one or more inner

Art Unit: 2879

protrusions (412) being arranged within each cell on an inner side of one or both of the bus lines so as to protrude toward an inner side of an opposite bus line; and one or more outer protrusions (412) being arranged so as to protrude from an outer side of one or both of the bus lines, at least a section of each of the inner and outer protrusions being positioned between two adjacent barrier ribs.

5. Regarding claim 2, Figures 1-12 of Kurogi shows a relation  $Pe=A \times Ps/n$  being satisfied in relation to the two bus lines,  $Pe$  being a pitch of either the inner or outer protrusions,  $Ps$  being a pitch of the cells along the row direction of the matrix,  $A$  being a positive value less than 1, and  $n$  being a natural number.

6. Regarding claim 3, Kurogi discloses that the bus lines are composed of a metal and the inner and outer protrusions are composed of a transparent electrode material (col. 5, ln. 5-7).

7. Regarding claim 6, Figure 9 of Kurogi shows a width of an end section of each of the inner protrusions along the row direction of the matrix being narrower than a base section thereof.

8. Regarding claim 7, Figure 3 of Kurogi shows a shortest discharge gap ( $w_1$ ) between the plural pairs of display electrodes corresponding to a minimum discharge firing voltage or a voltage in the vicinity thereof as shown on a Paschen curve plotting a relationship between a  $Pd$  product and a discharge firing voltage,  $P$  being a pressure of the discharge gas and  $d$  being a discharge gap.

9. Regarding independent claim 38, Kurogi discloses each of the like limitations of independent claim 1, as discussed earlier. Figure 8 of Kurogi also shows each pair of

Art Unit: 2879

electrodes being extended in a same direction; one or more inner protrusions (416) being arranged on an inner side of one or both of the electrode bases so as to protrude toward an inner side of an opposite electrode base; and one or more outer protrusions (415) being arranged so as to protrude from an outer side of one or both of the electrode bases.

10. Regarding independent claim 50, Figures 1-12 of Kurogi show a gas discharge panel (1) having a plurality of cells (C) arranged in a matrix, each cell being filled with a discharge gas (col. 5, ln. 43) which is enclosed between a facing pair of substrates (10, 20) and a plurality of barrier ribs (29) interposed between the pair of substrates, and plural pairs of display electrodes (X, Y) each formed from a scan electrode and a sustain electrode and arranged on an inner surface of one of the substrates so as to extend in a row direction of the matrix across the cells, wherein each electrode in each display electrode pair includes a bus line (42) extending parallel to the row direction of the matrix, and one or more inner protrusions (412) arranged within each cell so as to protrude from an inner side of the bus line toward the other display electrode in the pair, one or more protrusions are arranged within each cell on at least one of the bus lines in each display electrode pair, so as to protrude parallel to a substrate surface from a side opposite the side on which the one or more inner protrusions are provided, and at least a section of each of the inner and outer protrusions is positioned between two adjacent barrier ribs.

11. Regarding independent claim 51, Figures 1-12 of Kurogi show a gas discharge device having plural pairs of electrodes (X, Y) arranged to face a discharge space (C)

Art Unit: 2879

filled with a discharge gas (col. 5, ln. 43), wherein each electrode pair comprises two electrodes, each electrode includes an electrode base (411) extending in the same direction as the electrode, and one or more inner protrusions (412) arranged so as to protrude from an inner side of the electrode base toward the other electrode in the pair, and one or more outer protrusions are arranged on at least one of the electrode bases in each electrode pair, so as to protrude from a side opposite the side on which the one or more inner protrusions are provided. The Examiner notes that the method of operating the discharge panel (i.e. driving method) does not differentiate an apparatus claim from the prior art (See MPEP § 2115).

12. Regarding new claims 52 and 53, Figure 4 of Kurogi shows panel driving circuit for addressing and displaying an image, wherein the plural pairs of display electrodes are each formed of a scan electrode and sustain electrode positioned immediately adjacent to each other. The Examiner notes that the method of operating the discharge panel (i.e. driving method) does not differentiate an apparatus claim from the prior art (See MPEP § 2115).

### ***Claim Rejections - 35 USC § 103***

13. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2879

14. Claims 4-5 and 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kurogi.

15. Regarding claims 4-5, Kurogi teaches the claimed limitations discussed earlier but fails to exemplify a surface area of each of the outer protrusions being greater than a surface area of each of the inner protrusions.

16. However, Kurogi discloses that the protrusions may be asymmetric about a point positioned centrally in the direction of the row on the base (col. 3-4), which would give the outer protrusions a greater surface area than the inner protrusions.

17. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the electrodes of Kurogi with outer protrusions having greater surface areas than those of the inner protrusions, since a change in size is generally recognized as being within the level of ordinary skill in the art.

18. Regarding claim 42, Kurogi teaches the claimed limitations of claim 10, as discussed above, but fails to exemplify the bus lines being composed of silver.

19. However, Kurogi discloses that the bus lines may be formed of a light-tight substance comprising a metal film (col. 10, ln. 21-22).

20. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide bus lines composed of silver in the structure of Kurogi, since it is within the general skill of a worker in the art to select a known material on the bases of its suitability for conducting electricity.

***Allowable Subject Matter***

21. Claims 8-20, 39-41, and 43 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

22. Regarding claim 8, the prior art of record neither shows or suggests a gas discharge panel having, in addition to all other limitations of independent claim 1 upon which claim 8 depends, an insulating layer composed of magnesium oxide and a material having a lower electron emission rate than magnesium oxide. Due to its dependency upon claim 8, claim 9 is also allowable.

23. Regarding claim 10, the prior art of record neither shows or suggests a gas discharge panel having, in addition to all other limitations of independent claim 1 upon which claim 10 depends, the ends of the outer protrusions arranged on each of the bus lines being out of alignment along the row direction of the matrix. Due to their dependency upon claim 10, claims 11-20 and 43 are also allowable.

24. Regarding claim 39, the prior art of record neither shows or suggests a gas discharge panel having, in addition to all other limitations of independent claim 38 upon which claim 39 depends, each pair of electrodes with two electrode bases that extend in a same direction and snake along the one or more pairs of electrodes.

25. Regarding claim 40, the prior art of record neither shows or suggests a gas discharge panel having, in addition to all other limitations of independent claim 38 upon which claim 39 depends, the ends of the inner protrusions arranged on each of the

Art Unit: 2879

electrode bases out of alignment. Due to its dependency upon claim 40, claim 41 is also allowable.

26. Claims 21-33 and 44-48 are allowed.

27. Regarding independent claim 21, the prior art of record neither shows or suggests a gas discharge panel having, in addition to other limitations of the claim, plural pairs of display electrodes, wherein each pair of display electrodes comprising two bases being parallel to each other and extending in the row direction of a matrix and one or more inner protrusions being arranged within each cell on an inner side of each of the bases so as to protrude toward an inner side of an opposite base, the ends of the inner protrusions arranged on each of the bases being out of alignment along the row direction of the matrix. Due to their dependency upon independent claim 21, claims 22-27 are also allowable.

28. Regarding independent claims 28 and 33, the prior art of record neither shows or suggests a gas discharge panel having, in addition to other limitations of the claim, plural pairs of display electrodes, wherein each pair of display electrodes comprising two bases being extended in a row direction of a matrix and having a snaky configuration along the plural pairs of display electrodes. Due to their dependency upon independent claim 28, claims 29-32 are also allowable.

29. Regarding independent claim 44, the prior art of record neither shows or suggests a gas discharge panel having, in addition to all other limitations of the claim, an insulating layer composed of magnesium oxide and a material having a lower electron emission rate than magnesium oxide.

30. Regarding independent claim 45, the prior art of record neither shows or suggests a gas discharge panel having, in addition to all other limitations of the claim, the ends of the outer protrusions arranged on each of the bus lines being out of alignment along the row direction of the matrix.

31. Regarding independent claim 46, the prior art of record neither shows or suggests a gas discharge panel having, in addition to all other limitations of the claim, each pair of electrodes with two electrode bases that extend in a same direction and snake along the one or more pairs of electrodes.

32. Regarding independent claim 47, the prior art of record neither shows or suggests a gas discharge panel having, in addition to all other limitations of the claim, the ends of the inner protrusions arranged on each of the electrode bases out of alignment. Due to its dependency upon independent claim 47, claim 48 is also allowable.

### ***Response to Arguments***

33. Applicant's arguments received 02 May 2005 have been considered but are moot in view of the new grounds of rejection.

34. In response to applicant's argument that Kurogi does not teach a plurality of display electrodes that are attempting to provide a discharge firing voltage that can be kept at a lower level in conserving energy consumption, the Examiner notes that apparatus claims must be distinguished from the prior art in terms of structure rather than function (MPEP § 2114). Since Kurogi teaches applicant's claimed structural

limitations, the Examiner holds that the device of Kurogi inherently possesses the functional characteristics cited by applicant (See MPEP § 2112).

***Conclusion***

35. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

36. A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

**Contact Information**


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin Quarterman whose telephone number is (571) 272-2461. The examiner can normally be reached on M-TH (7-5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimesh Patel can be reached on (571) 272-2457. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kevin Quarterman  
Examiner  
Art Unit 2879

kq

  
16 July 2005



Joseph Williams  
Primary Examiner  
Art Unit 2879